




# Awning Windows STANDARD SIZES

The availability of certain sizes and configurations is dependent on the design wind load requirement as per AS2047-2014. Check with your Bradnam's representative to confirm availability. Awning Windows may be subject to local variation or regulatory requirements.

 Available Single or Double Glazed

FRAME SIZE mm	610	850	1210	1570	1810	1810	2170	2410	2650	3010
600	 A0606	 A0609	 A0612	 A0616	 AF0618	 AFA0618	 AFA0622	 AFA0624	 AFA0627	 AFA0630
860	 A0906	 A0909	 AF0912	 AF0916	 AF0918	 AFA0918	 AFA0922	 AFA0924	 AFA0927	 AFA0930
1030	 A1006	 A1009	 AF1012	 AF1016	 AF1018	 AFA1018	 AFA1022	 AFA1024	 AFA1027	 AFA1030
1200	 A1206	 A1209	 AF1212	 AF1216	 AF1218	 AFA1218	 AFA1222	 AFA1224	 AFA1227	 AFA1230
1370	 A1406	 A1409	 AF1412	 AF1416	 AF1418	 AFA1418	 AFA1422	 AFA1424	 AFA1427	 AFA1430
1460	 A1506	 A1509	 AF1512	 AF1516	 AF1518	 AFA1518	 AFA1522	 AFA1524	 AFA1527	 AFA1530

Viewed from exterior: **A** = Operable Awning Sash, **F** = Fixed Panel

Also available in FA configuration











































Also available in AA configuration



# Awning Windows STANDARD SIZES

The availability of certain sizes and configurations is dependent on the design wind load requirement as per AS2047-2014. Check with your Bradnam's representative to confirm availability. Awning Windows may be subject to local variation or regulatory requirements.

 Available Single or Double Glazed

FRAME SIZE mm	610	850	1210	1570	1810	1810	2170	2410	2650	3010
1800	 A1806	 A1809	 AF1812	 AF1816	 AF1818	 AFA1818	 AFA1822	 AFA1824	 AFA1827	 AFA1830
1800 600	 A/F1806	 A/F1809	 AF/F1812	 AF/FF1816	 AF/FF1818	 AFA/FFF1818	 AFA/FFF1822	 AFA/FFF1824	 AFA/FFF1827	 AFA/FFF1830
2060 600	 A/F2106	 A/F2109	 AF/F2112	 AF/FF2116	 AF/FF2118	 AFA/FFF2118	 AFA/FFF2122	 AFA/FFF2124	 AFA/FFF2127	 AFA/FFF2130
2360 760	 A/F2406	 A/F2409	 AF/F2412	 AF/FF2416	 AF/FF2418	 AFA/FFF2418	 AFA/FFF2422	 AFA/FFF2424	 AFA/FFF2427	 AFA/FFF2430

Awning sashes 1800 and over will be restricted

Viewed from exterior: **A** = Operable Awning Sash, **F** = Fixed Panel

Also available in FA configuration






















Also available in AA configuration



# Awning Windows STANDARD SIZES

The availability of certain sizes and configurations is dependent on the design wind load requirement as per AS2047-2014. Check with your Bradnam's representative to confirm availability. Awning Windows may be subject to local variation or regulatory requirements.

 Available Single or Double Glazed

FRAME SIZE mm	610	850	1210	1570	1810
1460	 A/A/F1506	 A/A/F1509	 A/A/F1512	 A/A/F1516	
1800	 A/A/F1806	 A/A/F1809	 A/A/F1812	 A/A/F1816	 A/A/F1818
2060	 A/A/F2106	 A/A/F2109	 A/A/F2112	 A/A/F2116	 A/A/F2118
2360	 A/A/F2406	 A/A/F2409	 A/A/F2412	 A/A/F2416	 A/A/F2418



Also available in F/A/A configuration

Viewed from exterior: **A** = Operable Awning Sash, **F** = Fixed Panel